

## **RUGBEE SOLVENT SPOTTER (PROD #13860-2, 13864-2)**

### **MSDS Number**

CBVBC

### **National Stock Number**

7930-01-381-5932

### **Product Name**

RUGBEE SOLVENT SPOTTER (PROD #13860-2, 13864-2)

### **Manufacturer**

S C JONSON WAX

### **Product Identification**

Product ID:RUGBEE SOLVENT SPOTTER (PROD #13860-2, 13864-2

MSDS Date:09/03/1991

FSC:7930

NIIN:01-381-5932

MSDS Number: CBVBC

### **Responsible Party**

S.C. JONSON WAX

1525 HOWE ST

RACINE , WI 53403-2237

US

Emergency Phone: 800-228-5635

Info Phone: 414-631-2777

Preparer: TERRY A. MAYERS

Cage: NO353

### **Contractor**

SC JOHNSON AND SON INC

RACINE, WI 53403-2236

US

800-725-6737

Cage: 32204

### **Ingredients**

MINERAL SPIRITS

CAS: 64741-41-9

Fraction By Weight: 65-75%

OSHA PEL500 PPM

ACGIH TLV: 100 PPM

DIPROPYLENE GLYCOL METHYL ETHER (313)

CAS: 34590-94-8

RTECS: JM1575000

Fraction By Weight: 20-30%

OSHA PEL100PPM/STEL 150 SKIN

ACGIH TLV: 100PPM/STEL 150 SKIN

ALKOXYLATED LINEAR ALCOHOL

Fraction By Weight: 2-8%

XYLENE (SARA 313) (CERCLA)

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight: 2-4%

OSHA PEL100 PPM/STEL 150

ACGIH TLV: 100 PPM/STEL 150

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

## Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Effects of Overexposure:DIRECT CONTACT OF PRODUCT W/EYES CAN CAUSE IRRITATION. PROLONGED/REPEATED CONTACT OF PRODUCT W/SKIN MAY CAUSE IRRITATION. IF TAKEN INTERNALLY ASPIRATION OF LIQUID PRODUCT CAN CAUSE CHEMICAL PNEUMONITIS.

## First Aid

First Aid:FLUSH EYES W/WATER 15 MINUTES. IF IRRITATION PERSISTS GET MEDICAL AID. WASH SKIN W/PLENTY OF WATER. IF IRRITATION PERSISTS GET MEDICAL AID. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL AID AT ONCE.

## Fire Fighting

Flash Point Method:TCC  
Flash Point:105F,41C  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG.  
Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SCBA & PROTECTIVE CLOTHING.  
Unusual Fire/Explosion Hazard:CONTAINER MAY BURN & LEAK IN HEAT OF FIRE..

## Accidental Release

Spill Release Procedures:ABSORB W/OIL-DRI OR SIMILAR INERT MATERIAL. ELIMINATE ALL IGNITION SOURCES. WEAR/USE APPROPRIATE PROTECTIVE EQUIPMENT.

## Handling

Handling and Storage Precautions:STORE IN COOL DRY PLACE W/ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. KEEP FROM FREEZING. KEEP AWAY FROM CHILDREN.

## Exposure Controls

Respiratory Protection:IF MISTS/VAPORS NOT ADEQUATELY CONTROLLED BY LOCAL VENTILATION USE APPROPRIATE RESPIRATORY PROTECTION TO PREVENT OVEREXPOSURE.

Ventilation:GEN ROOM VENT NORMALLY ADEQUATE. SUBSTANTIAL AMTS MISTS/VAPORS CAN BE CONTROLLED W/LOCAL EXHAUST/RESPIRATORY PROTECTION.

Protective Gloves:IF CHRONIC CONTACT, ANY IMPERVIOUS MAT'L

Eye Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE

Work Hygienic Practices:USE GOOD PERSONAL HYGIENE PRACTICES.

Supplemental Safety and Health

DANGER! CONTAINS SYNTHETIC SURFACTANTS, PETROLEUM DISTILLATES & GLYCOL ETHERS. DON'T MIST PRODUCT AS INHALATION MAY CAUSE RESPIRATORY DAMAGE. COMBUSTIBLE! DO NOT USE NEAR OPEN FLAME. HARMFUL OR FATAL IF SWALLOWED.

## Chemical Properties

Boiling Pt:B.P. Text:NOT EST.  
Melt/Freeze Pt:M.P/F.P Text:NOT EST.  
Vapor Pres:NOT EST.  
Vapor Density:NOT EST.  
Spec Gravity:NOT EST.  
pH:NE  
Evaporation Rate & Reference:NOT EST.  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:CLEAR, LIGHT LIQUID, CITRUS & SOLVENT ODOR  
Percent Volatiles by Volume:NA

## Stability

Stability Indicator/Materials to Avoid:YES  
NK  
Hazardous Decomposition Products:WHEN EXPOSED TO FIRE PRODUCES NORMAL PRODUCTS OF COMBUSTION

## Disposal

Waste Disposal Methods:INCINERATE REGULATED QUANTITIES AT PERMITTED FACILITY IN ACCORDANCE W/ALL FEDERAL, STATE, LOCAL REGULATIONS REGARDING DISPOSAL OF IGNITABLE WASTE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.