

# **CAREFREE**

## **MSDS Number**

**CBVDN** 

### **National Stock Number**

7930-01-410-8562

### **Product Name**

CAREFREE

#### Manufacturer

S C JONSON WAX

### **Product Identification**

Product ID:CAREFREE MSDS Date:11/15/1993 FSC:7930 NIIN:01-410-8562 MSDS Number: CBVDN

# **Responsible Party**

S.C. JONSON WAX 1525 HOWE ST

RACINE, WI 53403-2237

US

Emergency Phone: 800-228-5635

Info Phone: 414-631-2777

Cage: NO353 **Contractor** 

SC JOHNSON AND SON INC

RACINE, WI 53403-2236

US

800-725-6737 Cage: 32204

# **Ingredients**

ACRYLIC POLYMERS

Fraction By Weight: 10-20%

ETHYLENE GLYCOL 2-ETHYLHEXYL ETHER (SARA 313)

CAS: 1559-35-9

Fraction By Weight: 1-3%

DIETHYLENE GLYCOL ETHYL ETHER (SARA 313)(LD50 6500 MG/KG

CAS: 111-90-0 RTECS: KK8750000 Fraction By Weight: 3-5%



WATER

CAS: 7732-18-5 RTECS: ZC0110000

Fraction By Weight: 70-85%

VOC = GLYCOL ETHER RTECS: 9999999VO OSHA PELNOT RELEVANT

ACGIH TLV: NOT RELEVANT

**Hazards** 

LD50 LC50 Mixture:LD50 EST >5000 MG/KG RATS Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

#### First Aid

First Aid: EYES: FLUSH IMMEDIATELY W/WATER 20 MINUTES. IF IRRITATION PERSISTS GET MEDICAL AID. SKIN: WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DRINK 1-2 GLASSES WATER OR MILK.

# Fire Fighting

Flash Point:NA

Autoignition Temp: Autoignition Temp Text: NA

Lower Limits:NA Upper Limits:NA

Extinguishing Media: FOAM, CO2, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures: NORMAL FIRE FIGHTING PROCEDURES MAY BE USED.

Unusual Fire/Explosion Hazard: NO SPECIAL HAZARDS KNOWN

## **Accidental Release**

Spill Release Procedures: ABSORB W/OIL-DRI OR SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP & CONTAINERIZE. CONTAINS AMMONIA. DON'T LET SPILLED OR LEAKING MATERIAL ENTER WATER COURSE. MAY BE TOXIC TO AOUATIC LIFE.

### Handling

Handling and Storage Precautions: STORE IN A COOL, DRY PLACE W/ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. KEEP AWAY FROM CHILDREN

Other Precautions: FOR INDUSTRIAL USE ONLY.

## **Exposure Controls**

Respiratory Protection: NO SPECIAL REQUIREMENTS UNDER LABEL RECOMMENDED USE.

Ventilation: GENERAL ROOM VENTILATION ADEQUATE.

Protective Gloves: NO SPECIAL REQUIREMENTS UNDER NORMAL USE Eye Protection: NO SPECIAL REQUIREMENTS UNDER NORMAL USE

Other Protective Equipment: IF MAJOR EXPOSURE POSSIBLE TO EYES/SKIN,

WEAR AND USE APPROPRIATE PROTECTIVE EQUIPMENT.

Supplemental Safety and Health

\*PH = 8.5-9.5

# **Chemical Properties**

Boiling Pt:B.P. Text:212F,100C Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C Vapor Pres:NOT AVAIL Vapor Density:NOT AVAIL

Spec Gravity: 1.03

. \*:Hط

Evaporation Rate & Reference: NOT AVAILABLE

Solubility in Water: COMPLETE

Appearance and Odor:OPAQUE, OFF-WHITE LIQUID, MILD ODOR



Percent Volatiles by Volume: NOT AV

## **Stability**

Stability Indicator/Materials to Avoid:YES NK Stability Condition to Avoid:NO SPECIAL REQUIREMENTS Hazardous Decomposition Products:WHEN EXPOSED TO FIRE PRODUCES NORMAL PRODUCTS OF COMBUSTION.

## **Disposal**

Waste Disposal Methods: NO SPECIAL METHOD. OBSERVE ALL FEDERAL, STATE, LOCAL REGULATIONS REGARDING DISPOSAL OF NON-HAZARDOUS MATERIAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.