

F STOP MASONRY SEALER, 7509

MSDS Number

CBXNX

National Stock Number

8010-00N072095

Product Name

F STOP MASONRY SEALER, 7509

Manufacturer

EVR GARD COATINGS CO

Product Identification

Product ID:F STOP MASONRY SEALER, 7509

MSDS Date:06/01/1992

FSC:8010

NIIN:00N072095

MSDS Number: CBXNX

Responsible Party

EVR-GARD COATINGS CO

16400 GARFIELD AVE

PARAMOUNT , CA 90723

US

Emergency Phone: 213-531-0131

Info Phone: 213-531-0131

Cage: 5G582

Contractor

EVR-GARD COATINGS CO

PARAMOUNT, CA 90723

US

310-531-0131

Cage: 5G582

Ingredients

NON-HAZARDOUS INGREDIENTS

OSHA PELN/K

ACGIH TLV: N/K

103 G/L

RTECS: 9999999VO

OSHA PELN/K

ACGIH TLV: N/K

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: MAY CAUSE HEADACHE AND
NAUSEA, DIZZINESS. SKIN/EYES: PRIMARILY AN IRRITANT. REDNESS OR
RASH ON SKIN. WASH AFFECTED AREAS THOROUGHLY WITH PLENTY OF WATER.

SKIN ABSORPTION: PRIMARILY AN IRRITANT. REDNESS OR RASH ON SKIN.
BE SURE TO WASH AFFECTED AREAS WITH PLENTY OF SOAPY WATER. REMOVE
(EFFECTS OF OVEREXPOSURE)

Explanation of Carcinogenicity: NOT RELEVANT

Effects of Overexposure: HEALTH HAZARD: CONTAMINATED CLOTHING. INGESTION:

NAUSEA, DIZZINESS, HEADACHE. PROLONGED INHALATION MAY CAUSE

HEADACHE AND NAUSEA.

Medical Condition Aggravated by Exposure: PROLONGED CONTACT WITH MATERIAL MAY
CAUSE DERMATITIS.

First Aid

First Aid: INHALATION: REMOVE PATIENT TO FRESH AIR. EYES: FLUSH EYES WITH
CLEAN WATER FOR AT LEAST 15 MINUTES. SKIN: REMOVE SATURATED
CLOTHING AND WASH SKIN WITH SOAPY WATER THOROUGHLY. INGESTION: INDUCE
VOMITING WITH 1 OZ OF SYRUP OF IPECAC FOLLOWED IN 5 MINUTES WITH A
GLASS OF WATER. CALL MD.

Fire Fighting

Lower Limits: 0.6%

Extinguishing Media: FOAM, ALCOHOL FOAM, CARBON DIOXIDE, DRY CHEMICAL,
WATER FOG.

Fire Fighting Procedures: USE NIOSH APPROVED SCBA AND FULL PROTECTIVE
EQUIPMENT. THIS IS A WATER-BASED PRODUCT. WILL NOT SUPPORT
COMBUSTION.

Unusual Fire/Explosion Hazard: NONE.

Accidental Release

Spill Release Procedures: ABSORB SPILL WITH ANY ABSORBENT MATERIAL -
SAWDUST, SAND, CLAY, ETC AND FLUSH AREA WITH LOTS OF WATER.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: THIS PRODUCT IS STABLE UNDER NORMAL
USE AND STORAGE CONDITIONS. KEEP OUT OF REACH OF CHILDREN. KEEP
FROM FREEZING.

Other Precautions: KEEP FROM FREEZING. DO NOT TAKE INTERNALLY.

Exposure Controls

Respiratory Protection: THE USE OF NIOSH APPROVED MASKS DURING
APPLICATION TO AVOID EXCESSIVE INHALATION OF VAPORS IS HIGHLY
RECOMMENDED. OPEN WINDOWS AND DOORS OR USE OTHER MEANS TO INSURE
FRESH AIR ENTRY DURING APPLICATION AND DRYING.

Ventilation: PROVIDE ADEQUATE VENT AT ALL TIMES DURING HANDLING & APPLICATION
OF THIS PRODUCT. INSURE ADEQUATE SUPPLY OF FRESH AIR AT ALL TIMES.

Protective Gloves: NITRILE.

Eye Protection: ANSI APPROVED CHEM WORKERS GOGGLES.

Other Protective Equipment: ANSI APPROVED EYE WASH & DELUGE SHOWER. WEAR
MASKS & GLOVES IF NECESSARY TO PREVENT PROLONGED CONTACT
WITH MATERIAL.

Work Hygienic Practices: OBSERVE STANDARD HYGIENE PRACTICES WHEN
HANDLING THIS PRODUCT.

Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

Vapor Density: HVR/AIR

Specific Gravity: 1.3 (H₂O=1)

Evaporation Rate & Reference: SLOWER THAN ETHER

Solubility in Water: DILUTABLE

Appearance and Odor: WHITE PASTE; SLIGHT AMMONIA SMELL.

Stability

Stability Indicator/Materials to Avoid: YES

STRONG ACIDS AND ALKALIS AND MATERIALS THAT REACT WITH WATER.

Stability Condition to Avoid: DO NOT STORE IN HIGH TEMPERATURE AREAS.

Hazardous Decomposition Products: NONE.

Disposal

Waste Disposal Methods: PLACE ALL HAZARDOUS WASTES, INCLUDING ABSORBENTS USED FOR SPILLS, IN 55-GALLON METAL DRUMS AND DISPOSE IN APPROVED DUMPSITE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.