

AQUEOUS CLEANER, 6300

MSDS Number

CBXSD

National Stock Number

6850-00N072208

Product Name

AQUEOUS CLEANER, 6300

Manufacturer

SAFETY KLEEN CORP

Product Identification

Product ID:AQUEOUS CLEANER, 6300

MSDS Date:10/12/1994

FSC:6850

NIIN:00N072208

MSDS Number: CBXSD

Responsible Party

SAFETY-KLEEN CORP

1000 NORTH RANDALL RD

ELGIN , IL 60128-7857

US

Emergency Phone: 800-752-7869;708-888-4660

Info Phone: 800-669-5740

Cage: 30530

Contractor

SAFETY-KLEEN CORP

COLUMBIA, SC 29201

US

1-803-933-4200

Cage: 30530

Ingredients

ALKYLOXPOLYETHYLENEOXY ETHANOL; (ALCOHOLS,

CAS: 68002-97-1

Fraction By Weight: 2%

OSHA PELN/K

ACGIH TLV: N/K

VOLATILE ORGANIC COMPOUNDS (PHOTOCHEMICALLY REACTIVE AS PER

RTECS: 9999999VO

OSHA PELN/K

ACGIH TLV: N/K

LAVAGE, IF WARRANTED, SHOULD BE PERFORMED BY

RTECS: 9999999ZZ

FOR ADDITIONAL INFORMATION.

RTECS: 9999999ZZ

NUMBER 31/DANGEROUS GOODS INITIAL EMER

RTECS: 9999999ZZ

DRINKING/USING TOBACCO PRODUCTS. CLEAN

RTECS: 9999999ZZ

CONTAMINATED CLOTHING, SHOES, OR PROTECTIVE EQUIPMENT

RTECS: 9999999ZZ

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:EYES:MAY CAUSE STINGING, TEARING, ITCHING, SWELLING, OR REDNESS, WITH POSSIBLE INJURY.

SKIN:MAY CAUSE IRRITATION. NO SIGNIFICANT SKIN ABSORPTION HAZARD.

INHALATION:INHAL OF MATL UNLIKELY. NEVERT HELESS, INHALATION OF MISTED MATL MAY IRRITATE RESP TRACT. INGESTION:HARMFUL IF

SWALLOWED. MAY CAUSE (EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:HLTH HAZ:MOUTH & THROAT IRRIT, NAUS, ABDOM DISCOMFORT, DIARR, VOMIT, & CNS DEPRESS. BRTHG INTO LUNGS DURING INGEST/VOMIT MAY CAUSE LUNG INJURY & POSSIBLY DEATH.

CHRONIC:PRLONGED OR REPEATED EYE CONT M AY CAUSE CONJUNCTIVITIS.

PROLONGED OR REPEATED SKIN CONT MAY CAUSE DRYING, CRACKING, OR DERMATITIS.

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING SKIN DISORDERS MAY HAVE INCREASED SUSCEPTIBILITY TO THE EFFECTS OF EXPOSURE.

First Aid

First Aid:EYES:FLUSH W/WATER FOR @ LEAST 15 MINS LIFTING UPPER & LOWER LIDS OCCASNLY. MATL MISTING IS UNLIKELY. HOWEVER, IF IRRIT/REDNESS FROM EXPOSURE TO MIST DEVELOPS, MOVE VICTIM AWAY FROM EXPOS INTO FRESH A IR. CONSULT PHYS IF IRRIT/PAIN PERSISTS. SKIN:REMOVE CONTAMD CLTHG & SHOES. WASH TWICE W/SOAP & WATER. CONSULT PHYS IF IRRIT/PAIN PERSISTS. INHAL:REMOVE TO FRESH AIR IMMED. USE OXYG IF THERE (SUPDAT)

Fire Fighting

Extinguishing Media:WATER, ALCOHOL-RESISTANT FOAM.

Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:ALTHOUGH COMBUSTION IS NOT EXPECTED, IF BURNING OCCURS, TOXIC COMPOUNDS MAY BE PRODUCED.

Accidental Release

Spill Release Procedures:STOP LEAK IF YOU CAN DO IT W/OUT RISK. WEAR PROT EQUIP SPECIFIED IN CONTROL MEASURES. CNTN AWAY FROM SURF WATERS & SEWERS. IF POSS, SORB W/COMPAT SORBENT MATL & SHOVEL INTO CLOSABLE CNTNR FOR PROPER D ISP. SEE DOT EMER RESPONSE GUIDEBOOK GUIDE (ING 5)

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: MINIMIZE CONT WITH EYES, SKIN, CLOTHING, OR SHOES. AVOID BREATHING MIST.
Other Precautions: KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE AND DURING TRANSPORT. EMPTY PRODUCT CONTAINERS MAY CONTAIN PRODUCT RESIDUE.

Exposure Controls

Respiratory Protection: NIOSH APPRVD RESP APPROP FOR EXPOS OF CONCERN . NONE REQD W/NORM USE. HOWEVER, IF REQD, SELECTION & USE OF RESP PROT EQUIP SHOULD BE I/A/W USA W/OSHA GEN INDUSTRY STD 29 CFR 1910.134/IN CANADA W /CSA STD Z94.4-M1982.
Ventilation: NO SPECIFIC CONTROLS ARE NEEDED.
Protective Gloves: PVC OR EQUIVALENT GLOVES.
Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES .
Other Protective Equipment: ANSI APPRVD EMER EYE WASH & DELUGE SHOWER . WHERE SPILLS & SPLASHES ARE LIKELY, WEAR APPROP PROTECTIVE CLOTHING.
Work Hygienic Practices: USE OF CONT LENSES IS NOT REC. USE GOOD PERSONAL HYGIENE. WASH THORO W/SOAP & WATER AFTER HNDLG & BEFORE EATING (ING 6)
Supplemental Safety and Health
FIRST AID PROC: IS DFCLTY BRTHG/ARTF RESP IF BRTHG HAS STOPPED. DO NOT LEAVE VICTIM UNATTENDED. SEEK IMMED MED ATTN IF NEC. INGEST: SEEK IMMED MED ATTN. DRINK 2 GLASSES OF WATER. DO NOT INDUCE VOMIT. IF SPONT VOMIT OCCURS, KEEP HEAD BELOW HIPS TO AVOID ASPIR (BRTHG) INTO LUNGS. SPEC NOTE TO PHYS: ADMIN OF GASTRIC (ING 3)

Chemical Properties

Boiling Pt: B.P. Text: 212F, 100C
Melt/Freeze Pt: M.P/F.P Text: 32.0F, 0.0C
Vapor Pres: 17.5 @ 68F
Vapor Density: 0.6
Spec Gravity: 1 (WATER = 1)
pH: >7
Evaporation Rate & Reference: >1 (BUTYL ACETATE = 1)
Solubility in Water: COMPLETE
Appearance and Odor: LIQUID, CLEAR, COLORLESS OR BLUE, ODORLESS.

Stability

Stability Indicator/Materials to Avoid: YES
NONE KNOWN UNDER NORMAL TEMPERATURES AND PRESSURES.
Stability Condition to Avoid: STABLE UNDER NORMAL TEMPERATURES AND PRESSURES, AND NOT REACTIVE WITH WATER.
Hazardous Decomposition Products: NONE UNDER NORMAL TEMPERATURES AND PRESSURES.

Disposal

Waste Disposal Methods: DISPOSE I/A/W FEDERAL, STATE, PROVINCIAL, AND LOCAL REGULATIONS. CONTACT SAFETY-KLEEN REGARDING RECYCLING OR PROPER DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.