

## **Q D ENAMEL TINT BASE, 290102**

### **MSDS Number**

CCBCH

### **National Stock Number**

8010-00N073456

### **Product Name**

Q D ENAMEL TINT BASE, 290102

### **Manufacturer**

BENNETTE PAINT MFG CO INC

### **Product Identification**

Product ID:Q D ENAMEL TINT BASE, 290102

MSDS Date:12/13/1988

FSC:8010

NIIN:00N073456

MSDS Number: CCBCH

### **Responsible Party**

BENNETTE PAINT MFG CO INC

401 INDUSTRY DR

HAMPTON , VA 23661

US

Emergency Phone: 804-838-7777

Info Phone: 804-838-7777

Cage: 3Y107

### **Contractor**

BENNETTE PAINT MANUFACTURING CO INC

HAMPTON, VA 23661

US

804-838-7777

Cage: 3Y107

### **Ingredients**

10 @ 77F.

CAS: 8052-41-3

RTECS: WJ8925000

Fraction By Weight: 41.25%

OSHA PEL500 PPM

ACGIH TLV: 100 PPM

0.7 LBS/GAL (84 G/L).

RTECS: 9999999VO

### **Hazards**

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION:TEMPORARY DIZZINESS,

HEADACHE, POSSIBLE NAUSEA; SYMPTOMS DISAPPEAR WHEN EXPOSURE CEASES.  
EYE OR SKIN CONTACT:MAY CAUSE DISCOMFORT BY DEFATTING ACTION OF  
SOLVENT. REPEATED CONTACT TO SKIN MAY CAUSE DERMATITIS.  
INGESTION:DO NOT INGEST.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:ANY EXISTING RESPIRATORY OR  
CARDIOVASCULAR AILMENT.

## First Aid

First Aid:INHAL:REMOVE FROM EXPOSURE IMMEDIATELY; CALL MD. IF BREATHING  
IS IRREGULAR OR STOPPED, START RESUSCITATION, ADMINISTER OXYGEN.  
INGEST:DO NOT INDUCE VOMITING, CALL MD. SKIN:REMOVE CONTAMINATED  
CLOTHING & WASH THOROUGHLY. EYES:FLUSH AREA W/CLEAN WATER FOR AT  
LEAST 15 MINUTES OR UNTIL IRRITATION SUBSIDES. IF IRRITATION  
PERSISTS, SEEK MEDICAL ATTENTION.

## Fire Fighting

Flash Point Method:TCC

Flash Point:105F,41C

Lower Limits:0.9%

Upper Limits:7%

Extinguishing Media:FOAM, CO\*2, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE  
EQUIPMENT . COOL EXPOSED CONTAINERS W/WATER SPRAY. AVOID BREATHING  
VAPOR OR FUMES.

Unusual Fire/Explosion Hazard:KEEP AWAY FROM HEAT, SPARKS & OPEN  
FLAMES. FIGHT AS VOLATILE LIQUID FIRE. USE WATER TO KEEP  
FIRE-EXPOSED CONTAINERS COOL TO REDUCE PRESSURE.

## Accidental Release

Spill Release Procedures:REMOVE SOURCES OF IGNITION & PROVIDE  
VENTILATION. LARGE SPILLS MAY BE SCOOPED UP W/NON-SPARKING TOOLS.  
PROVIDE NIOSH APPROVED RESPIRATORY PROTECTION IF REQUIRED. SMALL  
QUANTITIES MAY BE PICKED UP W/AB SORBENT MATERIAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:STORE AWAY FROM HEAT, SPKS & OPEN  
FLAME. AVOID PRLNG SKIN CONT. DO NOT BREATHE SPRAY MIST. CONTAM  
LIQ, CLASS II. KEEP AWAY FROM CHILDREN.

Other Precautions:GROUND CNTNRS WHEN POURING & LIM FREE FALL TO A FEW  
INCHES TO PVNT STATIC SPKS. AVOID SPONT COMBUST OF CONTAM RAGS &  
OTHER EASILY IGNITABLE ORG ACCUMS BY IMMED IMMERSION IN WATER.  
EMPTIED CNTNRS MAY R ETAIN HAZ PROPERTIES. DO NOT (SUPP DATA)

## Exposure Controls

Respiratory Protection:NIOSH APPROVED MASK OR RESPIRATOR FOR ORGANIC  
VAPORS.

Ventilation:VENT SHOULD BE DESIGNED & MAINTAINED TO PROVIDE VOLUME &  
PATTERN SUFFICIENT TO PREVENT VAP CONC IN EXCESS OF TLV/LEL.

Protective Gloves:NEOPRENE RUBBER GLOVES.

Eye Protection:ANSI APPROVED CHEM WORKERS GOGGS .

Other Protective Equipment:EYE WASH FOUNTAIN & DELUGE SHOWER WHICH MEET  
ANSI DESIGN CRITERIA .

Work Hygienic Practices:WASH HANDS AFTER USE & BEFORE EATING OR USING  
WASHROOM.

Supplemental Safety and Health

OTHER PREC:CUT, PUNCTURE OR WELD ON OR NEAR CONTAINERS.

## Chemical Properties

Boiling Pt:B.P. Text:>316F,>158C

Vapor Pres:SEE ING 1

Vapor Density:HVR/AIR

Spec Gravity:1.1 (H\*20=1)

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:INSOLUBLE

Appearance and Odor:VISCOUS LIQUID; MILD ODOR.

## **Stability**

Stability Indicator/Materials to Avoid:YES

AVOID CONTACT W/STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:EXTREME HEAT OR HUMIDITY. ANY SOURCE OF IGNITION.

Hazardous Decomposition Products:USUAL PRODUCTS OF COMBUSTION - CO, CO\*2 & POSSIBLE ACROLEIN.

## **Disposal**

Waste Disposal Methods:DISPOSE OF I/A/W LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.