

G-135 INDUSTRIAL X-RAY DEVELOPER/REPLENISHER PART A

MSDS Number

CCCJW

National Stock Number

6750-01-399-8232

Product Name

G-135 INDUSTRIAL X-RAY DEVELOPER/REPLENISHER PART A

Manufacturer

AGFA GEVAERT INC FOTO RITE DIV

Product Identification

Product ID: G-135 INDUSTRIAL X-RAY DEVELOPER/REPLENISHER PART A

MSDS Date: 04/01/1995

FSC: 6750

NIIN: 01-399-8232

Kit Part: Y

MSDS Number: CCCJW

Responsible Party

AGFA-GEVAERT INC, FOTO-RITE DIV

275 NORTH ST

TETERBORO , NJ 07608-1201

US

Emergency Phone: 800-424-9300 CHEMTREC

Info Phone: 201-440-2500

Preparer: TECHNICAL IMAGING SYSTEMS

Cage: 59735

Contractor

BAYER CORP / AGFA DIVISION

RIDGEFIELD, NJ 07660

US

201-440-2500

Cage: 59735

Ingredients

HYDROQUINONE (SARA 302/313) (CERCLA)

CAS: 123-31-9

RTECS: MX3500000

Fraction By Weight: 5-10%

OSHA PEL2 MG/M3

ACGIH TLV: 2 MG/M3; 9596

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 60-65%

POTASSIUM SULFITE

CAS: 10117-38-1

RTECS: WT3530000

Fraction By Weight: 15-20%

HYDROXYETHYL EDTA, TRISODIUM SALT

CAS: 139-89-9

RTECS: MB9188000

Fraction By Weight: 1-5%

SODIUM TETRABORATE, DECAHYDRATE

CAS: 1303-96-4

RTECS: VZ2275000

Fraction By Weight: 1-5%

OSHA PEL10 MG/M3

ACGIH TLV: 5 MG/M3; 9596

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EXPOSURE MAY CAUSE EYE, SKIN &
RESPIRATORY TRACT IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION.
INGESTION MAY CAUSE IRRITATION OF GI TRACT; SULFITE SENSITIVE
PERSONS MAY SUFFER ALLERGIC REACTION. PROLONGED/REPEATED EXPOSURE
MAY CAUSE SKIN SENSITIZATION/DERMATITIS, ANEMIA, CORNEAL
IRRITATION, RENAL DAMAGE.
Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
Effects of Overexposure:EYES-IRRITATION, BURNS, DISCOLORATION/OPACITY
OF CORNEA. SKIN-IRRITATION, DERMATITIS. INHALED-IRRITATION,
ASTHMATICS MAY SUFFER ADVERSE REACTION TO SULFUR DIOXIDE.
INGESTED-IRRITATION OF DIGESTIVE TRACT.
Medical Condition Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:EYES-IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. OBTAIN
MEDICAL ATTENTION. SKIN-REMOVE CONTAMINATED CLOTHES. FLUSH WITH
WATER PROMPTLY. INHALED-REMOVE TO FRESH AIR. INGESTED-OBTAIN
IMMEDIATE MEDICAL ATTENTION.

Fire Fighting

Flash Point:NOCOMBUSTIBLE
Lower Limits:NONE
Upper Limits:NONE
Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.
Fire Fighting Procedures:EVACUATE PERSONNEL TO A SAFE AREA. KEEP
PERSONNEL REMOVED AND UPWIND OF FIRE. WEAR SELF-CONTAINED BREATHING
APPARATUS.
Unusual Fire/Explosion Hazard:WHEN HEATED TO DECOMPOSITION EMISSION TO
TOXIC FUMES OF SULFUR DIOXIDE IS POSSIBLE.

Accidental Release

Spill Release Procedures:USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT

DURING CLEAN-UP.DIKE SPILL.PREVENT LIQUID FROM ENTERING SEWERS,WATERWAYS OR LOW AREAS.SOAK UP WITH SAWDUST,SAND,OIL-DRY OR OTHER ABSORBENT MATERIAL.SPILL MAY BE NEUTRALIZED WITH POWDERED CITRICACID.

Neutralizing Agent:POWDERED CITRIC ACID.

Handling

Handling and Storage Precautions:DO NOT STORE WITH INCOMPATIBLE MATERIALS. DO NOT STORE OR CONSUME FOOD, DRINK OR TOBACCO IN AN AREA WHERE THEY MAY BECOME CONTAMINATED BY THIS PRODUCT

Other Precautions:KEEP CONTAINER TIGHTLY CLOSED. AVOID SKIN & EYE CONTACT. STORE IN A WELL-VENTILATED AREA.

Exposure Controls

Respiratory Protection:NONE NORMALLY REQUIRED WITH WORKING MIXTURES AND NORMAL ROOM VENTILATION (10 CHANGES PER HOUR).

Ventilation:ROOM VENTILATION IS SUFFICIENT. AVOID USE IN UNVENTILATED AREAS. KEEP AIRBORNE LEVELS BELOW TLV(S).

Protective Gloves:CHEMICAL RESISTANT-RUBBER, PVC.

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS.

Other Protective Equipment:APRON, DISPOSABLE COVERALLS (OPTIONAL).

DLA-HMIS: EYE WASH STATION & SAFETY SHOWER.

Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

KEY1=C4. PART A OF 3 PART KIT PLUS WORKING SOLUTION (PNI W).

Chemical Properties

HCC:B3

Boiling Pt:B.P. Text:221F,105C

Spec Gravity:1.319

pH:11.75

Evaporation Rate & Reference:NOT ESTIMATED

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR, LIGHT YELLOW LIQUID; NO ODOR.

Stability

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS, OXIDIZERS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:OXIDES OF SULFUR, CARBON MONOXIDE AND CARBON DIOXIDE.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

Disposal

Waste Disposal Methods:RECOVER NONUSABLE FREE LIQUID &/OR CONTAMINATED WATER & DISPOSE OF IN AN APPROVED & PERMITTED TREATMENT SYSTEM. INCINERATION IS RECOMMENDED. REMOVE NONUSABLE SOLID MATERIAL &/OR CONTAMINATED SOIL FOR DISPOSAL AT APPROVED & PERMITTED LANDFILL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.