

WINDEX POWERIZED FORMULA RTU

MSDS Number

CCKPN

National Stock Number

7930-01-381-3499

Product Name

WINDEX POWERIZED FORMULA RTU

Manufacturer

S C JONSON AND SON INC

Product Identification

Product ID:WINDEX POWERIZED FORMULA RTU

MSDS Date:08/08/1994

FSC:7930

NIIN:01-381-3499

MSDS Number: CCKPN

Responsible Party

S.C. JONSON & SON, INC.

RACINE , WI 53403-5011

US

Emergency Phone: 800-228-5635 EX 092/800-851-7145

Info Phone: 800-725-6737

Cage: NO557

Contractor

S.C. JONSON & SON, INC.

RACINE, WI 53403-5011

US

800-228-5635

Cage: NO557

Ingredients

2-BUTOXYETHANOL (LD50 560-3000MG/KG ORAL RAT; LC50 500PPM

CAS: 111-76-2

RTECS: KJ8575000

Fraction By Weight: 1-5%

OSHA PEL25 PPM SKIN

ACGIH TLV: 25 PPM SKIN

AMMONIUM HYDROXIDE (CERCLA)(LD50 350MG/KG ORAL RAT)

CAS: 1336-21-6

RTECS: BQ9625000

Fraction By Weight: 1-5%

OSHA PEL25 PPM/STEL 35

ACGIH TLV: 25 PPM/STEL 35

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: >90.0%

VOC = GLYCOL ETHER 0.30 LB/GL

RTECS: 9999999VO

Fraction By Weight: NA

OSHA PELNOT RELEVANT

ACGIH TLV: NOT RELEVANT

Hazards

LD50 LC50 Mixture:ACUTE ORAL LD50 >5000MG/KG RAT ESTIMATE

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: MAY CAUSE SENSITIZATION OF IRRITATION. INHALATION: MAY CAUSE IRRITATION TO NOSE, THROAT, RESPIRATORY TRACT. INGESTION: MAY CAUSE IRRITATION TO MUCOUS MEMBRANES.

First Aid

First Aid:EYES/SKIN: RINSE W/PLENTY OF WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: NO SPECIAL REQUIREMENTS.

Fire Fighting

Flash Point Method:TCC

Flash Point:>200F,>93C

Autoignition Temp:Autoignition Temp Text:NOT AV

Lower Limits:NOT AVAIL

Upper Limits:NOT AVAIL

Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures:NORMAL FIRE FIGHTING PROCEDURES MAY BE USED.

Unusual Fire/Explosion Hazard:NO SPECIAL HAZARDS KNOWN

Accidental Release

Spill Release Procedures:ABSORB W/OIL-DRI OR SIMILAR INERT MAT'L. SWEEP OR SCRAPE UP & CONTAINERIZE. DON'T LET SPILLED MAT'L INTO WATER COURSE. CONTAINS AMMONIA.

Handling

Handling and Storage Precautions:STORE IN COOL, DRY PLACE W/ADEQUATE VENTILATION. PH = 10.2-11.2

Other Precautions:USE AS DIRECTED.

Exposure Controls

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE CONDITIONS.

Ventilation:GENERAL ROOM VENTILATION ADEQUATE.

Protective Gloves:NO SPECIAL REQUIREMENTS UNDER NORMAL USE

Eye Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE

Other Protective Equipment:NA

Supplemental Safety and Health

NK

Chemical Properties

Boiling Pt:B.P. Text:212F,100C

Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C

Vapor Pres:NOT AVAIL
Vapor Density:>1
Spec Gravity:0.99
pH:*
Evaporation Rate & Reference:Solubility in Water:COMPLETE
Appearance and Odor:CLEAR BLUE LIQUID, MILD AMMONIA ODOR
Percent Volatiles by Volume:NOT AV

Stability

Stability Indicator/Materials to Avoid:YES
NK
Stability Condition to Avoid:NO SPECIAL REQUIREMENTS
Hazardous Decomposition Products:PRODUCES NORMAL PRODUCTS OF COMBUSTION

Disposal

Waste Disposal Methods:NO SPECIAL METHOD. OBSERVE ALL APPLICABLE
FEDERAL, STATE, LOCAL REGULATIONS REGARDING DISPOSAL OF
NON-HAZARDOUS MATERIAL. WASTE FROM NORMAL USE MAY BE SEWERED TO
POTW ACCORDING TO FEDERAL, STATE, LOCAL PRETREATMENT REQUIREMENTS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.