

## **ODOR MASK 6X**

### **MSDS Number**

CCTSS

### **National Stock Number**

6840-00N075271

### **Product Name**

ODOR MASK 6X

### **Manufacturer**

A GLOBAL CHEMICAL CO INC

### **Product Identification**

Product ID:ODOR MASK 6X

MSDS Date:10/01/1993

FSC:6840

NIIN:00N075271

MSDS Number: CCTSS

### **Responsible Party**

A GLOBAL CHEMICAL CO INC

101 A VINSON ST

ARLINGTON , TX 76010

US

Emergency Phone: 800-424-9300(CHEMTREC)

Info Phone: 817-469-1153

Cage: 084U1

### **Contractor**

GLOBAL CHEMICAL CO INC A

ARLINGTON, TX 76010

US

817-469-1153

Cage: 084U1

### **Ingredients**

ETHYL ALCOHOL; (ETHYL ALCOHOL DENATURED)

CAS: 64-17-5

RTECS: KQ6300000

Fraction By Weight:

OSHA PEL1000 PPM

ACGIH TLV: 1000 PPM

N-ALKYL DIMETHYLBENZYL AMMONIUM CHLORIDE; (ALKYL DIMETHYL

CAS: 68391-01-5

Fraction By Weight:

OSHA PELN/K

ACGIH TLV: N/K

N-ALKYL DIMETHYL ETHYLBENZYL AMMONIUM CHLORIDE; (ALKYL

RTECS: BO3325000

Fraction By Weight:

OSHA PELN/K

ACGIH TLV: N/K

## Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:UNNECESSARY EXPOSURE TO THIS PRODUCT OR ANY CHEMICAL SHOULD BE AVOIDED. EYES: CONTACT WITH EYES IS

PAINFUL AND IRRITATING AND WILL CAUSE CHEMICAL BURNS. SKIN:

PROLONGED OR REPEATED CONTACT WITH SKIN CAUSES IRRITATION.

INHALATION: MIST CAUSED BY PROCESSING IRRITATES NASAL PASSAGES.

ALCOHOL PORTION MUST (EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:HLTH HAZ: BE CONTROLLED BELOW TLV. PROLONGED

INHALATION OF VAPORS CAUSES NAUSEA, LOSS OF MOTOR SKILLS AND DISORIENTATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

## First Aid

First Aid:EYES: FLUSH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES, LIFTING THE EYELIDS OCCASIONALLY. GET MEDICAL ATTENTION. SKIN: WASH OFF SKIN WITH WATER. REMOVE CONTAMINATED CLOTHING AND CLEAN BEFORE REUSE. INHALATION: IF VAPORS OR MIST CAUSE IRRITATION OR DISTRESS, GO TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION OF NEEDED. INGESTION: IF SWALLOWED, CONSULT MD IMMEDIATELY.

## Fire Fighting

Flash Point:>100F,>38C

Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, FOAM OR WATER FOG. CLASS BC, ABC FIRE EXTINGUISHERS.

Fire Fighting Procedures:USE NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE KNOWN.

## Accidental Release

Spill Release Procedures:CONTAIN ALL SPILLS AND LEAKS TO PREVENT DISCHARGE INTO THE ENVIRONMENT. VENTILATE AREA. SMALL SPILLS: SOAK UP WITH ABSORBENT. SHOVEL INTO WASTE CONTAINER, FLUSH AREA WITH WATER. LARGE SPILLS: RECOVER LIQUID FOR RE-USE OR DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE. KEEP OUT OF THE REACH OF CHILDREN. AVOID OVERHEATING OR FREEZING.

Other Precautions:USE GOOD HANDLING PRACTICES. SPILLED MATERIAL IS SLIPPERY. WASH THOROUGHLY AFTER HANDLING. IF INGESTED, CALL MD.

## Exposure Controls

Respiratory Protection:ONLY WITHOUT ADEQUATE VENTILATION. USE NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:EQUIVALENT TO OUTDOORS TO KEEP HAZARDOUS INGREDIENTS BELOW THEIR TLV.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:ANSI APPRVD CHEM WORKERS GOGGS (SUPDAT)

Other Protective Equipment:ANSI APPROVED EYE WASH & DELUGE SHOWER .

WEAR PROTECTIVE CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT.

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE.

Supplemental Safety and Health

WASTE DISP METH: PRODUCT RESIDUE. OBSERVE ALL LABELED SAFEGUARDS UNTIL CONTAINER IS CLEANED, RECONDITIONED OR DESTROYED. EYE PROT: & FULL LENGTH FACESHIELD .

## Chemical Properties

Boiling Pt:B.P. Text:>190F,>88C

Solubility in Water:COMPLETE

Appearance and Odor:LIGHTLY COLORED FRAGRANCE DEPENDENT; PLEASANT FRAGRANCE.

Percent Volatiles by Volume:87(WT)

## Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, SOAPS, ANIONICS.

Stability Condition to Avoid:EXTREME TEMPERATURES.

Hazardous Decomposition Products:NITROUS OXIDES AND AMMONIACAL VAPORS.

## Disposal

Waste Disposal Methods:RECOVER MATERIAL OR DISPOSE I/A/W ALL APPLICABLE FEDERAL, STATE & LOCAL REGULATIONS. MATERIALS COLLECTED WITH ABSORBENT MAY BE DISPOSED IN A PERMITTED LANDFILL I/A/W FEDERAL, STATE & LOCAL REGULATIONS . EMPTY CONTAINER MAY RETAIN VAPOR OR (SUPDAT)

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.