

## **765-1069 STA-BIL FUEL STABILIZER**

### **MSDS Number**

CCVQW

### **National Stock Number**

4210-00-134-8955

### **Product Name**

765-1069 STA-BIL FUEL STABILIZER

### **Manufacturer**

GOLD EAGLE CO

### **Product Identification**

Product ID: 765-1069 STA-BIL FUEL STABILIZER

MSDS Date: 02/20/1992

FSC: 4210

NIIN: 00-134-8955

MSDS Number: CCVQW

### **Responsible Party**

GOLD EAGLE CO

4400 S KILDARE

CHICAGO , IL 60690

US

Emergency Phone: 800-535-5053/800-424-9300(CHEMTREC)

Info Phone: 312-376-4400 / FAX 312-376-3245

Cage: 2M612

### **Contractor**

NAPA, A DIVISION OF LINCOLN AUTOMOTIVE

ST. LOUIS, MO 63120-1578

US

414-255-5520

Cage: 050Q3

### **Ingredients**

HEAVY AROMATIC NAPHTHA (SOLVENT NAPHTHA)

CAS: 64742-94-5

RTECS: WF3100000

Fraction By Weight: 90-100%

ADDITIVE

Fraction By Weight: 0-5%

NAPHTHALENE (SARA 313) (CERCLA)

CAS: 91-20-3

RTECS: QJ0525000

Fraction By Weight: 0-5%

OSHA PEL10 PPM

ACGIH TLV: 10 PPM/15 STEL; 9596

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

## Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHAL:LOW RISK OF INHAL.NOT EXPECTED TO CAUSE IRRIT. SKIN:NOT EXPECTED TO CAUSE IRRIT. INGEST:LOW ORDER OF ACUTE ORAL TOXICITY BUT MATL COULD BE ASPIRATED INTO LUNGS DURING INGEST OR VOMIT. EYE:MAY CAUSE IRRIT.

Explanation of Carcinogenicity:PER MSDS:CARCINOGENIC:NTP/IARC/OSHA:NO.

Effects of Overexposure:ASPIRATED INTO LUNGS DURING INGEST OR VOMIT. EYE IRRIT.

Medical Cond Aggravated by Exposure:EXISTING DERMATITIS MAY BE AGGRAVATED.

## First Aid

First Aid:INHAL:REMOVE TO FRESH AIR.RESTORE OR SUPPORT BREATHING AS REQUIRED.SEEK IMMEDIATE MED ATTENTION. SKIN:WASH WITH SOAP/WATER.IRRIT PERSISTS/DEVELOPS SEEK MED ATTENTION. INGEST:DO NOT INDUCE VOMIT.CALL PHYSICIAN IMMEDIATE. EYE:FLUSH WITH RUNNING WATER FOR AT LEAST 15 MINUTES.SEEK MED ATTENTION.

## Fire Fighting

Flash Point Method:TCC

Flash Point:150F,66C

Autoignition Temp:Autoignition Temp Text:NP

Lower Limits:0.8

Upper Limits:7.0

Extinguishing Media:CO2, FOAM, WATER FOG, DRY CHEMICAL.

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS IN PRESSURE DEMAND SHOULD BE WORN.

Unusual Fire/Explosion Hazard:NOT KNOWN.

## Accidental Release

Spill Release Procedures:REMOVE SOURCES OF HEAT/IGN.PROVIDE ADEQUATE VENTILATION.CONTAIN LEAK.ABSORB WITH OIL DRY/SAND/INERT ABSORBENT MATERIAL & PLACE IN CLOSED METAL CONTAINER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:STORE IN COOL (FROM STRONG OXIDANTS).

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

## Exposure Controls

Respiratory Protection:USE NIOSH/MSHA RESPIRATOR WITH ORGANIC CARTRIDGES OR SUPPLIED AIR RESPIRATOR IF EXPOSURE LEVEL FOR NAPHTHALENE IS EXCEEDED.

Ventilation:PROVIDE PROPERLY ENGINEERED VENTILATION TO MAINTAIN AROMATIC VAPORS BELOW ACGIH TWA FOR NAPHTHALENE.

Protective Gloves:NONE SPECIFIED BY MANUFACTURER.

Eye Protection:SPLASH GOGGLES,FACE SHIELD AS REQUIRED.

Other Protective Equipment:CHEM RESISTANT CLOTHING AS REQUIRED.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

## Chemical Properties

HCC:T6

Boiling Pt:B.P. Text:350F,177C

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NP

Vapor Pres:Vapor Density:4.8

Spec Gravity:0.9

pH:NP

Viscosity:NP  
Evaporation Rate & Reference:Solubility in Water:NEGLIGIBLE  
Appearance and Odor:LIQUID, AMBER COLOR, SOLVENT ODOR.  
Percent Volatiles by Volume:100  
Corrosion Rate:NP

## Stability

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDANTS.  
Stability Condition to Avoid:HEAT, OPEN FLAMES, SOURCES OF IGNITION.  
Hazardous Decomposition Products:CO, CO2, SMOKE, PRODUCTS OF  
COMBUSTION.

## Disposal

Waste Disposal Methods:IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE  
AND FEDERAL REGULATIONS. SUBJ TO REPORTING REQMTS OF SARA 313/40CFR  
372.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.