

J.T. EATON'S STICK-EM GLUE PRODUCTS

MSDS Number

CGDZH

National Stock Number

6840-01-420-9038

Product Name

J.T. EATON'S STICK-EM GLUE PRODUCTS

Manufacturer

J T EATON AND CO INC

Product Identification

Product ID:J.T. EATON'S STICK-EM GLUE PRODUCTS

MSDS Date:02/21/1997

FSC:6840

NIIN:01-420-9038

Kit Part:Y

MSDS Number: CGDZH

Responsible Party

J.T. EATON & CO INC

1393 EAST HIGHLAND ROAD

TWINSBURG , OH 44087

US

Emergency Phone: 216-425-7801

Info Phone: 216-425-7801

Preparer: M.E.R. GODFREY, PHD

Cage: NO633

Contractor

J.T. EATON & CO INC

TWINSBURG, OH 44087

US

216-425-7801

Cage: NO633

Ingredients

NONHAZARDOUS INGREDIENTS

Fraction By Weight: 100%

Hazards

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NONE KNOWN AT ELEVATED TEMPERATURES.
FOR HOT PRODUCTS, INHALATION OF VAPORS MAY CAUSE IRRITATION IN THE
RESPIRATORY TRACT. SMALL AMOUNTS INGESTED ARE NOT EXPECTED TO
PRODUCE ADVERSE EFFECTS.

Explanation of Carcinogenicity:NONE.

Effects of Overexposure:LARGER QUANTITIES (>1 OZ) SHOULD BE RECOVERED
FROM THE STOMACH BY ASPIRATION. CALL A PHYSICIAN.

Medical Cond Aggravated by Exposure:NONE KNOWN.

First Aid

First Aid:EYES-IMMEDIATELY FLUSH WITH WATER FOR 15 MIN. CALL A

PHYSICIAN. SKIN-WASH AFFECTED AREA WITH SOAP AND WATER. CALL A PHYSICIAN. INHALATION-MOVE PATIENT TO FRESH AIR. CALL A PHYSICIAN. INGESTION-LARGER AMOUNTS SHOULD BE RECOVERED FROM THE STOMACH BY ASPIRATION. CALL A PHYSICIAN.

Fire Fighting

Flash Point Method:PMCC
Flash Point:>338F,>170C
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR BUTYL RUBBER BOOTS, GLOVES AND BODY SUIT AND A SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:NO KNOWN UNUSUAL HAZARDS IN A FIRE EXPLOSION SITUATION.

Accidental Release

Spill Release Procedures:MATERIAL IS A SOILD. THE MATERIAL WILL NOT FLOW OUT. IF RECOVERY IS NOT FEASIBLE, ADD MIX WITH DRY SOIL, SAND OR NON ABSORBENT AND PLACE IN A CONTAINER OR DUMPSTER PENDING DISPOSAL. SHOVEL SPILLED MAT ERIAL INTO EMPTY, DRY CONTAINER FOR LATER RECOVERY
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:KEEP IN COOL, DRY WELL VENTILATED STORAGE AREAS. HANDLE IN WELL VENTILATED AREAS.
Other Precautions:SPILL/RELEASE PROCEDURES CONTINUED: WASH DOWN AFFECTED AREA TO REMOVE MATERIAL FROM SURFACE OF FLOOR.

Exposure Controls

Respiratory Protection:NOT REQUIRED UNDER NORMAL CONDITIONS. FOR EMERGENCY SITUATIONS USE SELF-CONTAINED BREATHING APPARATUS WITH PRESSURE DEMAND MODE.
Ventilation:NO.
Protective Gloves:RUBBER GLOVE, LATEX RUBBER, THERMAL, ARM
Eye Protection:SPLASH PROOF EYE GOGGLES, FACE SHIELD.
Other Protective Equipment:PROVIDE READILY ACCESSIBLE EYE WASH STATIONS.
Work Hygienic Practices:WASH PROMPTLY IF SKIN BECOMES CONTAMINATED. REMOVE FROM SKIN WITH VEGETABLE OIL.
Supplemental Safety and Health
HAZARD CATAGEORY: NOT APPLICABLE.

Chemical Properties

HCC:N1
Vapor Pres:NEGLIGIBLE
Spec Gravity:0.93
Evaporation Rate & Reference:NEGLIGIBLE
Solubility in Water:INSOLUBLE
Appearance and Odor:CLEAR TO PALE YELLOW TACKY SOLID. PETROLEUM ODOR.

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGNETS.
Stability Condition to Avoid:STABLE.
Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE.
POTENTIALLY IRRITATING AND TOXIC FUMES AT ELEVATED TEMPERATURES.

Disposal

Waste Disposal Methods:LANDFILL OR INCINERATE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.