https://msdsreport.com/msds/CGTSR

# AFTER SHAVE LOTION, BAY RUM

## **MSDS Number**

CGTSR

## **National Stock Number**

8520-00N084704

### **Product Name**

AFTER SHAVE LOTION, BAY RUM

# Manufacturer

GABELS COSMETICS INC

# **Product Identification**

Product ID:AFTER SHAVE LOTION, BAY RUM MSDS Date:12/17/1993 FSC:8520 NIIN:00N084704 MSDS Number: CGTSR

# **Responsible Party**

GABELS COSMETICS INC

126 SOUTH AVENUE 18

LOS ANGELES , CA 90031-1777

US

Emergency Phone: 800-424-9300 (CHEMTREC)

Info Phone: 213-221-2430

Cage: JO659

## Contractor

GABELS COSMETICS INC

LOS ANGELES, CA 90031-1777

US

213-221-2430

Cage: JO659

# Ingredients

ETHYL ALCOHOL CAS: 64-17-5 RTECS: KQ6300000 Fraction By Weight: 50% OSHA PEL1000 PPM ACGIH TLV: 1000 PPM; 9495

BRUCINE SULFATE CAS: 4845-99-2 Fraction By Weight: OSHA PELN/K ACGIH TLV: N/K



https://msdsreport.com/msds/CGTSR

•

TERT-BUTYL ALCOHOL (SARA 313) CAS: 75-65-0 RTECS: EO1925000 Fraction By Weight: OSHA PEL100 PPM ACGIH TLV: 100 PPM; 9495

EYES SHOULD BE FLUSHED FOR AT LEAST 15 MINUTES. RTECS: 99999992Z

GET MEDICAL ATTENTION IMMEDIATELY. RTECS: 9999999ZZ

PROTECTIVE MEASURES DURING MAINTENANCE OF RTECS: 99999992Z

FLUSHED THOROUGHLY SINCE RESIDUAL VAPOR MAY REMAIN RTECS: 99999992Z

OTHER IGNITION SOURCES. VAPORS MAY BE FLAMMABLE. MAY RTECS: 99999992Z

(WORN WHEN MANUFACTURING ONLY)

RTECS: 9999992Z

#### Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: MAY CAUSE HEADACHE, DROWSINESS, INABILITY TO CONCENTRATE, IRRITATION OF THROAT. CONTACT WITH SKIN OR EYES: LIQUID OR VAPOR MAY CAUSE IRRITATION. ABSORBED THROUGH SKIN: SLIGHT ABSORPTION. I NGESTION: CAN CAUSE DEPRESSION OF CENTRAL NERVOUS SYSTEM, NAUSEA, VOMITING AND DIARRHEA. NOTE: (EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:HLTH HAZ: CONDITIONS DO NOT APPLY TO NORMAL USE.

Medical Cond Aggravated by Exposure:ASTHMA AND OTHER RESPIRATORY CONDITIONS.

### First Aid

First Aid:INGEST:IF VICTIM IS CONSCIOUS & ABLE TO SWALLOW, HAVE VICTIM DRINK H\*20/MILK TO DILUTE. NEVER GIVE ANYTHING BY MOUTH IF VICTIM IS UNCON/HAVING CONVL. CALL A MD OR POIS CTL CTR IMMED. INDUCE VOMIT ONLY IF ADVISED BY MD. INHAL:IMMED REMOVE VICTIM TO FRESH AIR. IF VICTIM HAS STOPPED BRTHG GIVE ARTF RESP, PREFERABLY MOUTH-TO-MOUTH. GET MED ATTN IMMED. CNTCT W/EYE/SKIN:IMMED FLUSH AFFECTED (SUPDAT)

### **Fire Fighting**



Flash Point Method:TCC Flash Point:78.0F,25.6C Lower Limits:4.3% Upper Limits:19% Extinguishing Media:USE WATER SPRAY, FOAM, CARBON DIOXIDE, DRY CHEM. H\*20 MAY BE INEFFECTIVE, BUT H\*20 SHOULD BE USED TO KEEP (SUPDAT) Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT.

•

Unusual Fire/Explosion Hazard:NOT APPLICABLE.

### **Accidental Release**

Spill Release Procedures: FLUSH WITH WATER. AVOID INHALATION OF VAPOR. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:PROTECT CONTAINER AGAINST PHYSICAL DAMAGE. SMOKING SHOULD BE PROHIBITED IN STORAGE AREAS. WHEN IN USE REPLACE CLOSURE SECURELY AFTER EACH OPENING.

Other Precautions: KEEP PACKAGED MATL OUT OF SUN & AWAY FROM HEAT. KEEP CLOSURE UP TO PVNT LEAKAGE. CNTNRS ARE HAZ WHEN EMPTY. SINCE EMPTY CNTNRS RETAIN RESIDUAL PROD (VAP/LIQ), ALL PREC DESCRIBED ON THIS MSDS MUST BE O BSERVED. (ING 6)

### **Exposure Controls**

Respiratory Protection: USE NIOSH APPROVED RESPIRATOR (NOT FOR NORMAL USE).

Ventilation:NECESSARY IF VAPOR CONCENTRATIONS ARE LIKELY TO EXCEED PERMISSIBLE LIMITS.

Protective Gloves: RUBBER GLOVES (ING 9)

Eye Protection:ANSI APPROVED CHÈM WORKERS GOGGS . Other Protective Equipment:EYE WASH FOUNTAIN & DELUGE SHOWER WHICH MEET ANSI DESIGN CRITERIA . RUBBER APRON (WORN WHEN MFR ONLY). Work Hygienic Practices:AVOID INHALATION OF VAPORS AND SKIN CONTACT. Supplemental Safety and Health EXTING MEDIA: FIRE-EXPOSED CNTNRS COOL. IF A LEAK/SPILL HAS NOT IGNITED, USE WATER SPRAY TO DISPERSE VAPS & TO PROTECT MEN ATTEMPTING TO STOP A LEAK. WATER SPRAY MAY BE USED TO FLUSH SPILL AWAY FROM E XPOS & TO DILUTE SPILLS TO NONFLAMMABLEMIX. FIRST AID

PROC: AREA W/PLENTY OF COOL WATER. (ING 4)

## **Chemical Properties**

Boiling Pt:B.P. Text:173F,78C Vapor Pres:45 @ 20C Vapor Density:1.6 Spec Gravity:0.8 Solubility in Water:COMPLETE Appearance and Odor:CLEAR SOLN: AMBER, GREEN, PURPLE, WHITE; BAY RUM; LILAC, LIME, SPICE, MENTHOL.

### Stability

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, ACETYL CHLORIDE. Stability Condition to Avoid:AVOID GENERATION OF AIRBORNE DUST. Hazardous Decomposition Products:(INCLUDING COMBUSTION PRODUCTS): CARBON MONOXIDE.

#### Disposal

Waste Disposal Methods: DISPOSE OF ALL WASTES IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their



----

https://msdsreport.com/msds/CGTSR

-----

particular situation.