

# 765-2905 LIQUID CLEANER/WAX;(MEGUIARS PN:M06)

### **MSDS Number**

CHLGL

### **National Stock Number**

7930-00D007508

### **Product Name**

765-2905 LIQUID CLEANER/WAX; (MEGUIARS PN:M06)

### Manufacturer

MEGUIAR'S INC

# **Product Identification**

Product ID:765-2905 LIQUID CLEANER/WAX;(MEGUIARS PN:M06) MSDS Date:02/03/1993 FSC:7930 NIIN:00D007508 MSDS Number: CHLGL

# **Responsible Party**

MEGUIAR'S INC

17991 MITCHELL SOUTH

IRVINE , CA 92714

US

Emergency Phone: 800-854-8073

Info Phone: 714-752-8000

Cage: EO362

### Contractor

NAPA

UNKNOW

IRVINE, CA 92714

US

714-752-8000

Cage: 0NBN5

## Ingredients

KAOLIN CAS: 1332-58-7 RTECS: GF1670500 Fraction By Weight: 8-12% OSHA PEL15 MG/M3 TDUST ACGIH TLV: 2 MG/M3 TDUST; 9596

INGREDS NOT IDENTIFIED ARE NON-HAZARDOUS. RTECS: 99999992Z Fraction By Weight: NA



https://msdsreport.com/msds/CHLGL

•

CAS: 64475-85-0 RTECS: PY8240000

Fraction By Weight: 15-25%

LIGHT DISTILLATE

CAS: 64742-14-9

Fraction By Weight: 10-15%

#### Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:PROLONGED OR INTENTIONAL EXPOSURE TO HIGH CONCENTRATIONS MAY CAUSE IRRIT TO SKIN,DIGESTIVE & BREATHING TRACTS. Explanation of Carcinogenicity:PER MSDS:NTP/IARC/OSHA:NO. Effects of Overexposure:INHAL:NONE NORMALLY.SKIN:MAY CAUSE

IRRIT.INGEST:MAY CAUSE IRRIT.EYE:MAY CAUSE IRRIT. Medical Cond Aggravated by Exposure:PRE-EXISTING DERMATITIS CONDITION.

### **First Aid**

First Aid:INHAL:REMOVE TO FRESH AIR.SKIN:WASH W/SOAP/WATER.INGEST:DO NOT INDUCE VOMITING.CONSULT PHYSICIAN BEFORE ATTEMPTING ANY FIRST-AID PROCEDURES.EYE:FLUSH W/CLEAR WATER.

### **Fire Fighting**

Flash Point Method:PMCC Flash Point:>200F,>93C Autoignition Temp:Autoignition Temp Text:NP Lower Limits:NE Upper Limits:NE Extinguishing Media:WATER, FOAM, CO2, DRY CHEMICAL. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.

### **Accidental Release**

Spill Release Procedures:CONTAIN AND PICKUP W/ABSORBENT.CAN BE PUT INTO METAL,PLASTIC OR GLASS CONTAINER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

### Handling

Handling and Storage Precautions:STORE AWAY FROM ACIDS AND OXIDIZERS. Other Precautions:NONE SPECIFIED BY MANUFACTURER.

### **Exposure Controls**

Respiratory Protection:NONE NEEDED NORMALLY. Ventilation:LOCAL:ADEQUATE. GENERAL:NO. Protective Gloves:IF NEEDED FOR SENSITIVE SKIN Eye Protection:IF SPLASH MAY OCCUR-SPLASH GOGGLES Other Protective Equipment:NONE Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health

### **Chemical Properties**

HCC:N1 Boiling Pt:B.P. Text:>390F,>199C Melt/Freeze Pt:M.P/F.P Text:NA Decomp Temp:Decomp Text:NP Vapor Pres:Vapor Density:>1 Spec Gravity:1.00 pH:NP Viscosity:NP Evaporation Rate & Reference:Solubility in Water:APPRECIABLE



\_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_

Appearance and Odor:THICK WHITE LIQUID, SWEET ODOR Percent Volatiles by Volume:15 MAX Corrosion Rate:NP

### Stability

Stability Indicator/Materials to Avoid:YES ACIDS AND OXIDIZERS. Hazardous Decomposition Products:CO, CO2, AND SILICONE OXIDES.

#### Disposal

Waste Disposal Methods: SANITARY LANDFILLS FOR ABSORBENT MATLS OR AS REQUIRED BY LOCAL REGUALTIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.