

GP FORWARD GENERAL PURPOSE CLEANER, 4524

MSDS Number

CHYKR

National Stock Number

7930-00N090371

Product Name

GP FORWARD GENERAL PURPOSE CLEANER, 4524

Manufacturer

S C JOHNSON PROFESSIONAL

Product Identification

Product ID:GP FORWARD GENERAL PURPOSE CLEANER, 4524 MSDS Date:12/19/1996 FSC:7930 NIIN:00N090371 Status Code:A MSDS Number: CHYKR

Responsible Party

S C JOHNSON PROFESSIONAL

8310 16TH ST

STURTEVANT , WI 53177-0902

US

Emergency Phone: 800-851-7145

Info Phone: 800-725-6737

Cage: 0MC82

Contractor

S C JOHNSON COMMERCIAL MARKETS, INC.

STURTEVANT, WI 53177-0902

US

800-725-6737

Cage: 0MC82

Ingredients

(ORAL,RAT) 361 MG/KG. CAS: 1310-58-3 RTECS: TT2100000 Fraction By Weight: OSHA PEL2 MG/M3, C ACGIH TLV: 2 MG/M3, C EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

(ORAL,RAT) 140-340 MG/KG. CAS: 1310-73-2 RTECS: WB4900000



https://msdsreport.com/msds/CHYKR

•

Fraction By Weight: 1-3% OSHA PEL2 MG/M3 ACGIH TLV: 2 MG/M3, C EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

GLYCOLS, POLYETHYLENE, MONO(P-NONYLPHENYL) ETHER; CAS: 26027-38-3 RTECS: MD0906000 Fraction By Weight: 1-4% OSHA PELN/K

ACGIH TLV: N/K

(ORAL,RAT) 1,150 MG/KG. CAS: 1344-09-8 Fraction By Weight: 3-6% OSHA PELN/K ACGIH TLV: N/K

WATER CAS: 7732-18-5 RTECS: ZC0110000 Fraction By Weight: 80-90% OSHA PELN/K ACGIH TLV: N/K

NOT AVAILABLE. RTECS: 9999999VO

Hazards

LD50 LC50 Mixture:LD50:(ORAL,RAT) >5000 MG/KG & SEE INGS. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE:CORROSIVE AND MAY CAUSE PERMANENT DAMAGE INCLUDING BLINDNESS. SKIN:CORROSIVE AND MAY CAUSE PERMANENT DAMAGE. INHALATION:MAY CAUSE IRRITATION OR CORROSIVE EFFECTS TO NOSE, THROAT AND RESPIRATORY TR ACT. INGESTION:CORROSIVE AND MAY CAUSE PERMANENT DAMAGE TO MOUTH, THROAT AND STOMACH. Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:NONE KNOWN.

First Aid

First Aid:EYES:FLUSH IMMEDIATELY W/PLENTY OF WATER FOR AT LEAST 15 TO 20 MINUTES. GET MEDICAL ATTENTION IMMEDIATELY. SKIN:FLUSH IMMEDIATELY W/PLENTY OF WATER FOR AT LEAST 15 TO 20 MINUTES. GET MEDICAL ATTENTION . INHAL:REMOVE TO FRESH AIR. GET MEDICAL ATTENTION. INGEST:DO NOT INDUCE VOMITING! IMMED DRINK 1-2 GLASSES OF WATER/MILK. DO NOT ADMIN ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET MED ATTN IMMED.

Fire Fighting

Extinguishing Media:FOAM, CO*2, DRY CHEMICAL, WATER FOG. Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . NORMAL FIRE FIGHTING PROC MAY BE USED. COOL & USE CAUTION WHEN APPROACHING/HNDLG FIRE-EXPOS CNTNRS. Unusual Fire/Explosion Hazard:CORROSIVE MATERIAL.

•

Accidental Release

Spill Release Procedures:ABSORB W/OIL-DRI OR SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP & CONTAINERIZE. RINSE AFFECTED AREA THOROUGHLY W/WATER. WEAR/USE APPROPRIATE PROTECTIVE EQUIPMENT. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:KEEP CONTAINER CLOSED. USE ONLY W/ADEQUATE VENTILATION. KEEP OUT OF REACH OF CHILDREN. FOR INDUSTRIAL USE ONLY. USE AS DIRECTED. Other Precautions:DANGER: CORROSIVE: CONCENTRATE CAUSES EYE & SKIN BURNS. AVOID CONTACT W/SKIN, EYES & CLOTHING. HARMFUL OR FATAL IF SWALLOWED. DO NOT TASTE OR SWALLOW. AVOID BREATHING VAPOR.

Exposure Controls

Respiratory Protection:IF MISTS/VAPORS ARE NOT ADEQUATELY CONTROLLED BY VENTILATION, USE NIOSH APPROVED DUST/MIST RESPIRATOR. Ventilation:GENERAL ROOM VENT IS NORMALLY ADEQ. SUBSTANTIAL AMTS OF MISTS/VAPS CAN BE CONTROLLED W/LOC EXHST VENT/NIOSH (SUPP DATA) Protective Gloves:NEOPRENE GLOVES. Eye Protection:ANSI APPROVED CHEM WORKERS GOGGS(SUPDAT) Other Protective Equipment:EYE WASH FOUNTAIN & DELUGE SHOWER WHICH MEET ANSI DESIGN CRITERIA . PROTECTIVE FOOTWEAR. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. THOROUGHLY CLEAN FOOTWEAR & CLOTHING BEFORE REUSE. Supplemental Safety and Health PH:12.5 MIN. MATLS TO AVOID:(E.G., ZINC, ALUMINUM). VENT:APPROVED RESPIRATORY PROTECTION. EYE PROT:& FULL LENGTH FACESHIELD .

Chemical Properties

Boiling Pt:B.P. Text:212F,100C Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C Spec Gravity:1 (H*2O=1) pH:SUPDAT Solubility in Water:COMPLETE Appearance and Odor:CLEAR GREEN LIQUID; MILD CITRUS ODOR.

Stability

Stability Indicator/Materials to Avoid:YES STRONG ACIDS (E.G., MURIATIC ACID). STRONG OXIDIZING MATLS (E.G., LIQ CHLORINE). AVOID CONT W/NON-FERROUS METALS(SUPDAT) Stability Condition to Avoid:NONE KNOWN. Hazardous Decomposition Products:PRODUCES NORMAL PRODUCTS OF COMBUSTION.

Disposal

Waste Disposal Methods:DISPOSAL MUST BE I/A/W FEDERAL, STATE & LOCAL REGULATIONS . DISPOSAL OF UNDILUTED PRODUCT IS REGULATED UNDER ENVIRONMENTAL & TRANSPORTATION LAWS AS A CORROSIVE WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.