

HEMODENT RETRACTION CORD

MSDS Number

CKFNV

National Stock Number

-

Product Name

HEMODENT RETRACTION CORD

Manufacturer

MEDICAL PRODUCTS LABORATORIES

Product Identification

Product ID:HEMODENT RETRACTION CORD

MSDS Date:10/20/1992

FSC:NIIN:Submitter:F BT

Status Code:A

MSDS Number: CKFNV

Responsible Party

MEDICAL PRODUCTS LABORATORIES

9990 GLOBAL ROAD

PHILADELPHIA , PA 19115-1006

US

Emergency Phone: 215-677-2700

Info Phone: 215-677-2700

Cage: 66428

Contractor

MEDICAL PRODUCTS LABORATORIES

PHILADELPHIA, PA 19115-1006

US

215-677-2700

Cage: 66428

Ingredients

ALUMINIUM CHLORIDE

CAS: 7446-70-0

RTECS: BD0525000

Hazards

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES

First Aid

First Aid:SKIN: WASH W/SOAP & WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Extinguishing Media:CO2, WATER SPRAY, FOAM/DRY CHEMICAL

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:WASH W/PLENTY OF WATER & MOP UP SPILL.

Handling

Handling and Storage Precautions:WASH HANDS W/SOAP & WATER AFTER HANDLING.

Other Precautions:NONE UNDER NORMAL USE.

Exposure Controls

Respiratory Protection:NONE REQUIRED UNDER NORMAL USE.

Protective Gloves:RECOMMENDED

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING & SHOES BEFORE REUSE.

Supplemental Safety and Health

WASH HANDS W/SOAP & WATER AFTER HANDLING.

Chemical Properties

Appearance and Odor:WHITE, ODORFREE CORD

Stability

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:NONE

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Other Information

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.