

H & C SHARK GRIP, 5TH STEP (NON-SLIP), 50.05500-

MSDS Number

CKPYN

National Stock Number

-

Product Name

H & C SHARK GRIP, 5TH STEP (NON-SLIP), 50.05500-

Manufacturer

FLR PAINTS INC

Product Identification

Product ID:H & C SHARK GRIP, 5TH STEP (NON-SLIP), 50.05500-

MSDS Date:04/16/1998

FSC:NIIN:Submitter:N EN

Status Code:A

MSDS Number: CKPYN

Responsible Party

FLR PAINTS, INC.

101 PROSPECT AVENUE N.W.

CLEVELAND , OH 44115

US

Emergency Phone: (216) 566-2917

Info Phone: (216) 566-2902

Cage: TO686

Contractor

FLR PAINTS, INC.

CLEVELAND, OH 44115

US

(216) 566-2902

Cage: TO686

Ingredients

POLYPROPYLENE

CAS: 9003-07-0

RTECS: UD1842000

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EXPOSURE MAY BE BY INHALATION AND/OR SKIN OR EYE CONTACT, DEPENDING ON CONDITIONS OF USE. TO MINIMIZE EXPOSURE, FOLLOW RECOMMENDATIONS FOR PROPER USE, VENTILATION AND PERSONAL PROTECTIVE EQUIPMENT. A CUTHEALTH HAZARDS: EFFECTS OF OVER EXPOSURE: IRRITATION OF EYES, SKIN AND UPPER RESPIRATORY SYSTEM. CHRONIC HEALTH HAZARDS: NO INGREDIENT IN THIS PRODUCT IS AN IARC, NTP OR OSHA LISTED CARCINOGEN.

Explanation of Carcinogenicity:NO INGREDIENT IN THIS PRODUCT IS AN IARC, NTP OR OSHA LISTED CARCINOGEN.

Effects of Overexposure:REDNESS & ITCHING OR BURNING SENSATION MAY INDICATE EYE OR EXCESSIVE SKIN EXPOSURE.

Medical Cond Aggravated by Exposure:NONE GENERALLY RECOGNIZED.

First Aid

First Aid:IF INHALED: IF AFFECTED, REMOVE FROM EXPOSURE. RESTORE BREATHING. KEEP WARM AND QUIET. IF ON SKIN: WASH AFFECTED AREA THOROUGHLY WITH SOAP AND WATER. IF IN EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. IF SWALLOWED: GET MEDICAL ATTENTION.

Fire Fighting

Flash Point: =93.3C, 200.F
>200 F
Lower Limits:N.A.
Upper Limits:N.A.
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:USE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT . SPECIAL FIRE FIGHTING PROCEDURES: NOT APPLICABLE.
Unusual Fire/Explosion Hazard:NOT APPLICABLE. FLAMMABILITY CLASSIFICATION: NOT APPLICABLE.

Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. VENTILATE AND SWEEP UP WITH A MINIMUM OF DUSTING.

Handling

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. TRANSFER ONLY TO APPROVED CONTAINERS WITH COMPLETE AND APPROPRIATE LABELING. DO NOT TAKE INTERNALLY. KEEP OUT OF THE REACH OF CHILDREN. DOL STORAGE CATEGORY: 3B.
Other Precautions:THIS PRODUCT MAY BE MIXED WITH OTHER COMPONENTS BEFORE USE. BEFORE OPENING PACKAGES, READ AND FOLLOW WARNING LABELS ON ALL COMPONENTS.

Exposure Controls

Respiratory Protection:IF PERSONAL EXPOSURE CAN'T BE CONTROLLED BELOW APPLICABLE LIMITS BY VENTILATION, WEAR PROPERLY FITTED ORGANIC VAPOR/PARTICULATE RESPIRATOR APPROVED BY NIOSH FOR PROT AGAINST MATLS IN INGREDIENT SECTION. WHEN SANDING OR ABRADING DRIED FILM, WEAR DUST/MIST RESPIRATOR APPROVED BY NIOSH FOR DUST WHICH MAY BE GENERATED FROM PRODUCT, UNDERLYING PAINT OR ABRASIVE.

Ventilation:LOCAL EXHAUST PREFERABLE. GENERAL EXHAUST ACCEPTABLE IF EXPOS TO MATLS IS MAINTAINED BELOW APPLICABLE EXPOS LIMITS. REFER TO OSHA 1910.94, 1910.107, 1910.108

Protective Gloves:(IMPERVIOUS GLOVES -) REQUIRED FOR LONG OR REPEATED CONTACT.

Eye Protection:ANSI APPROVED CHEMICAL SAFETY GOGGLES .

Other Protective Equipment:EYEWASH AND DELUGE SHOWER MEETING ANSI DESIGN CRITERIA .

Work Hygienic Practices:PRECAUTIONS TO BE TAKEN IN USE: USE ONLY WITH ADEQUATE VENTILATION. MINIMIZE CONTACT WITH SKIN AND EYES. WASH HANDS AFTER USING. THIS COATING MAY CONTAIN MATERIALS CLASSIFIED AS (SUPP SAFETY & HEALTH)

Supplemental Safety and Health

WORK HYGIENE PRAC (CONT): NUISANCE PARTICULATES (LISTED AS DUST IN INGREDIENTS SECTION) WHICH MAY BE PRESENT AT HAZARDOUS LEVELS ONLY DURING SANDING OR ABRADING OF THE DRIED FILM. IF NO SPECIFIC DUSTS ARE LISTED IN THE INGREDIENTS SECTION, THE APPLICABLE LIMITS FOR NUISANCE DUSTS ARE: (OTHER INFORMATION)

Chemical Properties

Boiling Pt:B.P. Text:N.A.

Melt/Freeze Pt:M.P/F.P Text:N.A.

Vapor Density:> AIR

Spec Gravity:0.86

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:N.A.

Appearance and Odor:NONE SPECIFIED BY MANUFACTURER .

Percent Volatiles by Volume:0%

Stability

Stability Indicator/Materials to Avoid:YES

NONE KNOWN.

Stability Condition to Avoid:NONE KNOWN.

Hazardous Decomposition Products:BY FIRE: CARBON DIOXIDE, CARBON MONOXIDE.

Disposal

Waste Disposal Methods:WASTE FROM THIS PRODUCT IS NOT HAZARDOUS AS DEFINED UNDER THE RESOURCE CONSERVATION AND RECOVERY ACT (RCRA) 40 CFR 261. WASTE MUST BE TESTED FOR IGNITABILITY TO DETERMINE THE APPLICABLE EPA HAZARDOUS WASTE NUMBERS. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS REGARDING POLLUTIO N.

Other Information

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

Regulatory

SARA Title III Information:NO INGREDIENTS IN THIS PRODUCT ARE SUBJECT TO SARA 313 (40 CFR 372.65C) SUPPLIER NOTIFICATION.

Federal Regulatory Information:TSCA CERTIFICATION: ALL CHEMICALS IN PRODUCT ARE LISTED, OR ARE EXEMPT FROM LISTING ON TSCA INVENTORY.