

5202-604,REPLITH LITHGRPHC DEV/REPL,PART A

MSDS Number

BBDBV

National Stock Number

6750-00D000647

Product Name

5202-604,REPLITH LITHGRPHC DEV/REPL,PART A

Manufacturer

ANITEC IMAGE CORP

Product Identification

Product ID:5202-604,REPLITH LITHGRPHC DEV/REPL,PART A

MSDS Date:01/01/1985

FSC:6750

NIIN:00D000647

MSDS Number: BBDBV

Responsible Party

ANITEC IMAGE CORPORATION

Emergency Phone: (607) 774-3300

Cage: 61263

Contractor

ANITEC IMAGE CORP

4444

BINGHAMTON, NY 13902

US

607-774-3333

Cage: 61263

Ingredients

FORMALDEHYDE (SARA III)

CAS: 50-00-0

RTECS: LP8925000

Fraction By Weight: 0.67%

OSHA PELSEE 1910.1048

ACGIH TLV: C 0.3 PPM; A2; 9293

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

POTASSIUM HYDROXIDE (SARA III)

CAS: 1310-58-3

RTECS: TT2100000

Fraction By Weight: 0.20%

OSHA PELC, 2 MG/M3

ACGIH TLV: C 2 MG/M3; 9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

HYDROQUINONE (SARA III)

CAS: 123-31-9

RTECS: MX3500000

Fraction By Weight: 11.4%

OSHA PEL2 MG/M3

ACGIH TLV: 2 MG/M3; 9192

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

WATER;CAS #7732-18-5; % WT BY DIFFERENCE.

Fraction By Weight: 87.7%

Hazards

Effects of Overexposure:MAY CAUSE EYE/SKIN IRRITATION ON CONTACT;MAY BE HARMFUL IS SWALLOWED.

First Aid

First Aid:EYES:FLUSH WITH PLENTY OF WATER AT LEAST FOR 15 MIN & GET MED ATTN;SKIN:FLUSH/WASH W/PLENTY OF H*2O. IF IRRITATION OCCURS,GET MED HELP;INGESTION:INDUCE VOMITING & CALL A PHYSICIAN.

Fire Fighting

Flash Point:NONE

Extinguishing Media:CO*2, FOAM, DRY CHEM.

Fire Fighting Procedures:WEAR SELF-CNTD BRTHG APP H*20 SPRAY TO COOL CONTR.

Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:EVACUATE UNPROTECTED PERSONS. STOP LEAK. H*2O SPRAY TO COOL CONT/DIVERT SPILL FROM FIRE/HEAT. PROVIDE VENTILATION. ABSORB W COMMERCIAL ABSORBENT,SHOVEL INTO METAL DRUMS. LG SPILL:DIKE W COMMERCIAL ABS ORBENT, PUMP INTO COVERED DRUMS.

Handling

Handling and Storage Precautions:STORE IN COOL DRY WELL VENTILATED AREA;KEEP CONTAINER TIGHTLY CLOSED;WASH THOROUGHLY AFTER HANDLING. Other Precautions:AVOID SKIN CONTACT.

Exposure Controls

Respiratory Protection:NO SPECIAL REQMENTS UNDER ORDINARY CONDITIONS/ADEQUATE VENT.

Ventilation:MECHANICAL(GENERAL) RECOMMENDED,LOCAL EXHAUST IF NEEDED

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:WEAR IMPERVIOUS APRON/CLOTHING TO PREVENT CONTACT.

Supplemental Safety and Health

PART A OF 2 PART PROD;GAF CORP TRANSFERRED ITEM TO ANITEC INC;ANITEC CHNGD ABOVE CAT# TO 5202-710 THEN 400-0015 AND PHASED OUT FM THEIR SYSTM;PER ANITEC,THEY NEVER MFD ITEM;NOW SEE ADDL DATA.

Chemical Properties

HCC:N1

Boiling Pt:B.P. Text:210F

Spec Gravity:1.256

Solubility in Water: COMPLETE
Appearance and Odor: CONCENTRATED LIQUID

Stability

Stability Indicator/Materials to Avoid: YES
PER MFR, NO SPECIFIC INCOMPATIBILITY.
Stability Condition to Avoid: NONE KNOWN

Disposal

Waste Disposal Methods: KEEP IN COVERED DRUMS, PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL, FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.